

Relative Links Test Document

Hosted at <https://test-pages.menlotest.com/safedocs/DocsWithLinks/> . Each link below is annotated with the URL it should resolve to. Internal links jump to another section of this same file.

Table of contents (in-page section links):

[1. In-page section links \(relative link to another section in this file\)](#)

[2. Same-directory relative links](#)

[3. Subdirectory relative links](#)

[4. Parent-directory relative links](#)

[5. Root-relative \(absolute-path\) links](#)

[6. Relative links with query strings & fragments](#)

[7. Protocol-relative, special schemes & absolute controls](#)

[8. Bottom anchor](#)

1. In-page section links (relative link to another section in this file)

[Go to section 3 \(subdirectory\)](#)

GoTo / bookmark anchor: sec_subdir

[Go to section 5 \(root-relative\)](#)

GoTo / bookmark anchor: sec_root

[Jump to the bottom anchor](#)

GoTo / bookmark anchor: sec_bottom

[Back to top / table of contents](#)

GoTo / bookmark anchor: sec_top

2. Same-directory relative links

[doc_links.doc](#)

-> https://test-pages.menlotest.com/safedocs/DocsWithLinks/doc_links.doc

[./doc_links.doc](#)

-> https://test-pages.menlotest.com/safedocs/DocsWithLinks/doc_links.doc

[doc_links.doc#section-1](#)

relative file + fragment -> https://test-pages.menlotest.com/safedocs/DocsWithLinks/doc_links.doc#section-1

[doc_links.doc \(same dir\)](#)

-> https://test-pages.menlotest.com/safedocs/DocsWithLinks/doc_links.doc

3. Subdirectory relative links

[sub/nested.html](#)

-> <https://test-pages.menlotest.com/safedocs/DocsWithLinks/sub/nested.html>

[./sub/nested.html#part-a](#)

-> <https://test-pages.menlotest.com/safedocs/DocsWithLinks/sub/nested.html#part-a>

[sub/deep/leaf.html](#)

-> <https://test-pages.menlotest.com/safedocs/DocsWithLinks/sub/deep/leaf.html>

4. Parent-directory relative links

[../doc/](#)

-> <https://test-pages.menlotest.com/safedocs/doc/>

[../doc/ \(#2\)](#)

-> <https://test-pages.menlotest.com/safedocs/doc/>

[../doc/ \(#3\)](#)

-> <https://test-pages.menlotest.com/safedocs/doc/>

5. Root-relative (absolute-path) links

[/safedocs/DocsWithLinks/page2.html](#)

-> <https://test-pages.menlotest.com/safedocs/DocsWithLinks/page2.html>

[/safedocs/](#)

-> <https://test-pages.menlotest.com/safedocs/>

[/\(site root\)](#)

-> <https://test-pages.menlotest.com/>

6. Relative links with query strings & fragments

[search.html?q=test&page=2](#)

-> <https://test-pages.menlotest.com/safedocs/DocsWithLinks/search.html?q=test&page=2>

[search.html?q=test#results](#)

-> <https://test-pages.menlotest.com/safedocs/DocsWithLinks/search.html?q=test#results>

[?reset=1 \(query only\)](#)

-> <https://test-pages.menlotest.com/safedocs/DocsWithLinks/<file>?reset=1>

7. Protocol-relative, special schemes & absolute controls

[//test-pages.menlotest.com/safedocs/other.html](https://test-pages.menlotest.com/safedocs/other.html)

protocol-relative -> https://test-pages.menlotest.com/safedocs/other.html

<https://www.menlosecurity.com/> (absolute control)

absolute URL, unchanged

<mailto:test@menlosecurity.com>

non-http scheme

8. Bottom anchor

[Back to top](#)

GoTo / bookmark anchor: sec_top

[Back to section 1 \(in-page links\)](#)

GoTo / bookmark anchor: sec_internal